

Package ‘matsindf’

August 24, 2020

Type Package

Title Matrices in Data Frames

Version 0.3.6

Date 2020-08-24

Maintainer Matthew Heun <matthew.heun@me.com>

Description Provides functions to collapse a tidy data frame into matrices in a data frame and expand a data frame of matrices into a tidy data frame.

License MIT + file LICENSE

Language en-US

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 2.10)

Imports dplyr, magrittr, matsbyname, purrr, rlang, tibble, tidyr

Suggests ggplot2, knitr, rmarkdown, testthat, covr

VignetteBuilder knitr

URL <https://github.com/MatthewHeun/matsindf>

BugReports <https://github.com/MatthewHeun/matsindf/issues>

NeedsCompilation no

Author Matthew Heun [aut, cre] (<<https://orcid.org/0000-0002-7438-214X>>)

Repository CRAN

Date/Publication 2020-08-24 13:40:03 UTC

R topics documented:

add_UKEnergy2000_matnames	2
add_UKEnergy2000_row_col_meta	3
collapse_to_matrices	5

everything_except	7
expand_to_tidy	7
group_by_everything_except	9
index_column	10
matsindf_apply	11
matsindf_apply_types	13
mat_to_rowcolval	14
rowcolval_to_mat	15
UKEnergy2000	17
verify_cols_missing	18

Index 19

add_UKEnergy2000_matnames

Add a column of matrix names to tidy data frame

Description

Add a column of matrix names to tidy data frame

Usage

```
add_UKEnergy2000_matnames(
  .DF,
  ledger_side_colname = "Ledger.side",
  energy_colname = "E.ktoe",
  supply_side = "Supply",
  consumption_side = "Consumption",
  matname_colname = "matname",
  U_name = "U",
  V_name = "V",
  Y_name = "Y"
)
```

Arguments

`.DF` a data frame with `ledger_side_colname` and `energy_colname`.

`ledger_side_colname` the name of the column in `.DF` that contains ledger side (a string). Default is "Ledger.side".

`energy_colname` the name of the column in `.DF` that contains energy values (a string). Default is "E.ktoe".

`supply_side` the identifier for items on the supply side of the ledger (a string). Default is "Supply".

`consumption_side` the identifier for items on the consumption side of the ledger (a string). Default is "Consumption".

matname_colname	the name of the output column containing the name of the matrix in which this row belongs (a string). Default is "UVY".
U_name	the name for the use matrix (a string). Default is "U".
V_name	the name for the make matrix (a string). Default is "V".
Y_name	the name for the final demand matrix (a string). Default is "Y".

Value

.DF with an added column, UVY_colname.

Examples

```
matsindf:::add_UKEnergy2000_matnames(UKEnergy2000)
```

```
add_UKEnergy2000_row_col_meta
```

Add row, column, row type, and column type metadata

Description

Add row, column, row type, and column type metadata

Usage

```
add_UKEnergy2000_row_col_meta(
  .DF,
  matname_colname = "matname",
  U_name = "U",
  V_name = "V",
  Y_name = "Y",
  product_colname = "Product",
  flow_colname = "Flow",
  industry_type = "Industry",
  product_type = "Product",
  sector_type = "Sector",
  rowname_colname = "rowname",
  colname_colname = "colname",
  rowtype_colname = "rowtype",
  coltype_colname = "coltype"
)
```

Arguments

<code>.DF</code>	a data frame containing <code>matname_colname</code> .
<code>matname_colname</code>	the name of the column in <code>.DF</code> that contains names of matrices (a string). Default is "matname".
<code>U_name</code>	the name for use matrices (a string). Default is "U".
<code>V_name</code>	the name for make matrices (a string). Default is "V".
<code>Y_name</code>	the name for final demand matrices (a string). Default is "Y".
<code>product_colname</code>	the name of the column in <code>.DF</code> where Product names is found (a string). Default is "Product".
<code>flow_colname</code>	the name of the column in <code>.DF</code> where Flow information is found (a string). The Flow column usually contains the industries involved in this flow. Default is "Flow".
<code>industry_type</code>	the name that identifies production industries and and transformation processes (a string). Default is "Industry".
<code>product_type</code>	the name that identifies energy carriers (a string). Default is "Product".
<code>sector_type</code>	the name that identifies final demand sectors (a string). Default is "Sector".
<code>rowname_colname</code>	the name of the output column that contains row names for matrices (a string). Default is "rowname".
<code>colname_colname</code>	the name of the output column that contains column names for matrices (a string). Default is "colname".
<code>rowtype_colname</code>	the name of the output column that contains row types for matrices (a string). Default is "rowtype".
<code>coltype_colname</code>	the name of the output column that contains column types for matrices (a string). Default is "coltype".

Value

`.DF` with additional columns named `rowname_colname`, `colname_colname`, `rowtype_colname`, and `coltype_colname`.

Examples

```
UKEnergy2000 %>%
  matsindf:::add_UKEnergy2000_matnames(.) %>%
  matsindf:::add_UKEnergy2000_row_col_meta(.
```

collapse_to_matrices *Collapse a "tidy" data frame to matrices in a data frame (matsindf)*

Description

A "tidy" data frame contains information that can be collapsed into matrices, including columns for matrix names, row names, column names, row types, column types, and values (entries in matrices). These column names are specified as strings by the `matnames`, `rownames`, `colnames`, `rowtypes`, `coltypes`, and `values` arguments to `collapse_to_matrices`, respectively. A **matsindf**-style matrix has named rows and columns. In addition, **matsindf**-style matrices have "types" for row and column information, such as "Commodities", "Industries", "Products", or "Machines". The row and column types for the **matsindf**-style matrices are stored as attributes on the matrix (`rowtype` and `coltype`), which can be accessed with the `rowtype` and `coltype` functions of the **matsbyname** package. Row and column types are both respected and propagated by the various `_byname` functions of the **matsbyname** package. Use the `*_byname` functions when you do operations on the **matsindf**-style matrices. The **matsindf**-style matrices will be stored in a column with same name as the incoming values column. This function is similar to `nest`, which stores data frames into a cell of a data frame. With `collapse_to_matrices`, matrices are created. This function is similar to `summarise` in that groups are respected. (In fact, calls to this function may not work properly unless grouping is provided. Errors of the form "Error: Duplicate identifiers for rows ..." are usually fixed by grouping `.DF` prior to calling this function.) The usual approach is to `group_by` the `matnames` column and any other columns to be preserved in the output. Note that execution is halted if any of `rownames`, `rowtypes`, `colnames`, `coltypes`, or `values` is a grouping variable. `rowtypes` and `coltypes` should be the same for all rows of the same matrix; execution is halted if that is not the case. `spreading` the output by `matnames` may be necessary before calculations are done on the matrices. See the example.

Usage

```
collapse_to_matrices(  
  .DF,  
  matnames = "matnames",  
  matvals = "matvals",  
  rownames = "rownames",  
  colnames = "colnames",  
  rowtypes = "rowtypes",  
  coltypes = "coltypes"  
)
```

Arguments

<code>.DF</code>	the "tidy" data frame
<code>matnames</code>	a string identifying the column in <code>.DF</code> containing matrix names for matrices to be created. Default is "matnames".
<code>matvals</code>	a string identifying the column in <code>.DF</code> containing values to be inserted into the matrices to be created. This will also be the name of the column in the output

	containing matrices formed from the data in the <code>matvals</code> column. Default is <code>"matvals"</code> .
<code>rownames</code>	a string identifying the column in <code>.DF</code> containing row names for matrices to be created. Default is <code>"rownames"</code> .
<code>colnames</code>	a string identifying the column in <code>.DF</code> containing column names for matrices to be created. Default is <code>"colnames"</code> .
<code>rowtypes</code>	optional string identifying the column in <code>.DF</code> containing the type of values in rows of the matrices to be created. Default is <code>"rowtypes"</code> .
<code>coltypes</code>	optional string identifying the column in <code>.DF</code> containing the type of values in columns of the matrices to be created. Default is <code>"coltypes"</code> .

Details

Groups are not preserved on output.

Value

a data frame with matrices in columns

See Also

[nest](#) and [summarise](#).

Examples

```
library(dplyr)
library(tidyr)
library(tibble)
ptype <- "Products"
itype <- "Industries"
tidy <- data.frame(Country = c( "GH", "GH", "GH", "GH", "GH", "GH", "GH",
                              "US", "US", "US", "US", "GH", "US"),
                  Year = c( 1971, 1971, 1971, 1971, 1971, 1971, 1971,
                            1980, 1980, 1980, 1980, 1971, 1980),
                  matrix = c( "U", "U", "E", "E", "E", "V", "V",
                              "U", "U", "E", "E", "eta", "eta"),
                  row = c( "c 1", "c 2", "c 1", "c 2", "c 2", "i 1", "i 2",
                           "c 1", "c 1", "c 1", "c 2", NA, NA),
                  col = c( "i 1", "i 2", "i 1", "i 2", "i 3", "c 1", "c 2",
                           "i 1", "i 2", "i 1", "i 2", NA, NA),
                  rowtypes = c( ptype, ptype, ptype, ptype, ptype, itype, itype,
                                ptype, ptype, ptype, ptype, NA, NA),
                  coltypes = c( itype, itype, itype, itype, itype, ptype, ptype,
                                itype, itype, itype, itype, NA, NA),
                  vals = c( 11 , 22 , 11 , 22 , 23 , 11 , 22 ,
                           11 , 12 , 11 , 22 , 0.2, 0.3)
) %>% group_by(Country, Year, matrix)
mats <- collapse_to_matrices(tidy, matnames = "matrix", matvals = "vals",
                            rownames = "row", colnames = "col",
                            rowtypes = "rowtypes", coltypes = "coltypes")
mats %>% spread(key = matrix, value = vals)
```

everything_except *Get symbols for all columns except ...*

Description

This convenience function performs a set difference between the columns of `.DF` and the variable names (or symbols) given in `...`. The return value is a list of symbols.

Usage

```
everything_except(.DF, ..., .symbols = TRUE)
```

Arguments

<code>.DF</code>	a data frame whose variable names are to be differenced
<code>...</code>	a string, strings, vector of strings, or list of strings representing column names to be subtracted from the names of <code>.DF</code>
<code>.symbols</code>	a boolean that defines the return type: TRUE for symbols, FALSE for strings

Value

a vector of symbols (when `symbols = TRUE`) or strings (when `symbol = FALSE`) containing all variables names except those given in `...`

Examples

```
DF <- data.frame(a = c(1, 2), b = c(3, 4), c = c(5, 6))
everything_except(DF, "a", "b")
everything_except(DF, "a", "b", symbols = FALSE)
everything_except(DF, c("a", "b"))
everything_except(DF, list("a", "b"))
```

expand_to_tidy *Expand a "tidy" data frame with matsindf-style matrices to a "tidy" data frame with each matrix entry as an observation*

Description

A data frame with **matsindf**-style matrices contains matrices with names `matnames` in the column specified by `matvals`). An IO-style matrix has named rows and columns. In addition, **matsindf**-style matrices have "types" for row and column information, such as "Commodities", "Industries", "Products", or "Machines".


```

Year      = c( 1971,  1971,  1971,  1971,  1971,  1971,  1971,
              1980,  1980,  1980,  1980,  1971,  1980),
matrix    = c(  "U",   "U",   "Y",   "Y",   "Y",   "V",   "V",
              "U",   "U",   "Y",   "Y", "eta", "eta"),
row       = c(  "c1",  "c2",  "c1",  "c2",  "c2",  "i1",  "i2",
              "c1",  "c1",  "c1",  "c2", NA, NA),
col       = c(  "i1",  "i2",  "i1",  "i2",  "i3",  "c1",  "c2",
              "i1",  "i2",  "i1",  "i2", NA, NA),
rowtypes  = c( ptype, ptype, ptype, ptype, ptype, itype, itype,
              ptype, ptype, ptype, ptype, NA, NA),
coltypes  = c( itype, itype, itype, itype, itype, ptype, ptype,
              itype, itype, itype, itype, NA, NA),
vals      = c(  11 ,  22,  11 ,  22 ,  23 ,  11 ,  22 ,
              11 ,  12 ,  11 ,  22,  0.2, 0.3)) %>%
  group_by(Country, Year, matrix)
mats <- collapse_to_matrices(tidy, matnames = "matrix", rownames = "row", colnames = "col",
                             rowtypes = "rowtypes", coltypes = "coltypes",
                             matvals = "vals") %>%

  ungroup()
  expand_to_tidy(mats, matnames = "matrix", matvals = "vals",
               rownames = "rows", colnames = "cols",
               rowtypes = "rt", coltypes = "ct")
  expand_to_tidy(mats, matnames = "matrix", matvals = "vals",
               rownames = "rows", colnames = "cols",
               rowtypes = "rt", coltypes = "ct", drop = 0)

```

group_by_everything_except

Group by all variables except some

Description

This is a convenience function that allows grouping of a data frame by all variables (columns) except those variables specified in

Usage

```
group_by_everything_except(.DF, ..., .add = FALSE, .drop = FALSE)
```

Arguments

.DF	a data frame to be grouped
...	a string, strings, vector of strings, or list of strings representing column names to be excluded from grouping
.add	When .add = FALSE, the default, <code>dplyr::group_by()</code> will override existing groups. To add to the existing groups, use <code>.add = TRUE</code> .
.drop	When <code>.drop = TRUE</code> , empty groups are dropped.

Value

a grouped version of `.DF`

Examples

```
library(dplyr)
DF <- data.frame(a = c(1, 2), b = c(3, 4), c = c(5, 6))
group_by_everything_except(DF) %>% group_vars()
group_by_everything_except(DF, NULL) %>% group_vars()
group_by_everything_except(DF, c()) %>% group_vars()
group_by_everything_except(DF, list()) %>% group_vars()
group_by_everything_except(DF, c) %>% group_vars()
group_by_everything_except(DF, "a") %>% group_vars()
group_by_everything_except(DF, "c") %>% group_vars()
group_by_everything_except(DF, c("a", "c")) %>% group_vars()
group_by_everything_except(DF, c("a")) %>% group_vars()
group_by_everything_except(DF, list("a")) %>% group_vars()
```

index_column

Index a column in a data frame by groups relative to an initial year

Description

This function indexes (by ratio) variables in `vars_to_index` to the first time in `time_var` or to `index_time` (if specified). Groups in `.DF` are both respected and required. Neither `var_to_index` nor `time_var` can be in the grouping variables.

Usage

```
index_column(
  .DF,
  var_to_index,
  time_var = "Year",
  index_time = NULL,
  indexed_var = paste0(var_to_index, suffix),
  suffix = "_indexed"
)
```

Arguments

<code>.DF</code>	the data frame in which the variables are contained
<code>var_to_index</code>	the column name representing the variable to be indexed (a string)
<code>time_var</code>	the name of the column containing time information. Default is "Year".
<code>index_time</code>	the time to which data in <code>var_to_index</code> are indexed. If NULL (the default), <code>index_time</code> is set to the first time of each group.
<code>indexed_var</code>	the name of the indexed variable. Default is " <code><<var_to_index>>_<<suffix>></code> ".
<code>suffix</code>	the suffix to be appended to the indexed variable. Default is "_indexed".

Details

Note that this function works when the variable to index is a column of numbers or a column of matrices.

Value

a data frame with same number of rows as `.DF` and the following columns: grouping variables of `.DF`, `var_to_index`, `time_var`, and one additional column containing indexed `var_to_index` named with the value of `indexed_var`.

Examples

```
library(dplyr)
library(tidyr)
DF <- data.frame(Year = c(2000, 2005, 2010), a = c(10, 15, 20), b = c(5, 5.5, 6)) %>%
  gather(key = name, value = var, a, b) %>%
  group_by(name)
index_column(DF, var_to_index = "var", time_var = "Year", suffix = "_ratioed")
index_column(DF, var_to_index = "var", time_var = "Year", indexed_var = "now.indexed")
index_column(DF, var_to_index = "var", time_var = "Year", index_time = 2005,
             indexed_var = "now.indexed")
## Not run:
DF %>%
  ungroup() %>%
  group_by(name, var) %>%
  index_column(var_to_index = "var", time_var = "Year") # Fails! Do not group on var_to_index.
DF %>%
  ungroup() %>%
  group_by(name, Year) %>%
  index_column(var_to_index = "var", time_var = "Year") # Fails! Do not group on time_var.

## End(Not run)
```

<code>matsindf_apply</code>	<i>Apply a function to a matsindf data frame (and more)</i>
-----------------------------	---

Description

Applies `FUN` to `.dat` or performs the calculation specified by `FUN` on numbers or matrices. `FUN` must return a named list.

Usage

```
matsindf_apply(.dat = NULL, FUN, ...)
```

Arguments

<code>.dat</code>	a list of named items or a data frame.
<code>FUN</code>	the function to be applied to <code>.dat</code> .
<code>...</code>	named arguments to be passed by name to <code>FUN</code> .

Details

If `is.null(.dat)` and `...` are all named numbers or matrices of the form `argname = m`, `ms` are passed to `FUN` by `argnames`. The return value is a named list provided by `FUN`. The arguments in `...` are not included in the output.

If `is.null(.dat)` and `...` are all lists of numbers or matrices of the form `argname = l`, `FUN` is Mapped across the various `ls` to obtain a list of named lists returned from `FUN`. The return value is a data frame whose rows are the top-level lists returned from `FUN` and whose column names are the names of the list items returned from `FUN`. Columns of `.dat` are not included in the return value.

If `!is.null(.dat)` and `...` are all named character strings of the form `argname = string`, `argnames` are expected to be names of arguments to `FUN`, and `strings` are expected to be column names in `.dat`. The return value is `.dat` with additional columns (at right) whose names are the names of list items returned from `FUN`. When `.dat` contains columns whose names are same as columns added at the right, a warning is emitted.

`.dat` can be a list of named items in which case a list will be returned.

If items in `.dat` have same names are arguments to `FUN`, it is not necessary to specify any arguments in `...`. `matsindf_apply` assumes that the appropriately-named items in `.dat` are intended to be arguments to `FUN`. When an item name appears in both `...` and `.dat`, `...` takes precedence.

NULL arguments in `...` are ignored for the purposes of deciding whether all arguments are numbers, matrices, lists of numbers of matrices, or named character strings. However, all NULL arguments are passed to `FUN`, so `FUN` should be able to deal with NULL arguments appropriately.

If `.dat` is present, `...` contains strings, and one of the `...` strings is not the name of a column in `.dat`, `FUN` is called WITHOUT the argument whose column is missing. I.e., that argument is treated as missing. If `FUN` works despite the missing argument, execution proceeds. If `FUN` cannot handle the missing argument, an error will occur in `FUN`.

Value

a named list or a data frame. (See details.)

Examples

```
library(matsbyname)
example_fun <- function(a, b){
  return(list(c = sum_byname(a, b), d = difference_byname(a, b)))
}
# Single values for arguments
matsindf_apply(FUN = example_fun, a = 2, b = 2)
# Matrices for arguments
a <- 2 * matrix(c(1,2,3,4), nrow = 2, ncol = 2, byrow = TRUE,
  dimnames = list(c("r1", "r2"), c("c1", "c2")))
b <- 0.5 * a
matsindf_apply(FUN = example_fun, a = a, b = b)
# Single values in lists are treated like columns of a data frame
matsindf_apply(FUN = example_fun, a = list(2, 2), b = list(1, 2))
# Matrices in lists are treated like columns of a data frame
matsindf_apply(FUN = example_fun, a = list(a, a), b = list(b, b))
# Single numbers in a data frame
DF <- data.frame(a = c(4, 4, 5), b = c(4, 4, 4))
```

```

matsindf_apply(DF, FUN = example_fun, a = "a", b = "b")
# By default, arguments to FUN come from DF
matsindf_apply(DF, FUN = example_fun)
# Now put some matrices in a data frame.
DF2 <- data.frame(a = I(list(a, a)), b = I(list(b,b)))
matsindf_apply(DF2, FUN = example_fun, a = "a", b = "b")
# All arguments to FUN are supplied by named items in .dat
matsindf_apply(list(a = 1, b = 2), FUN = example_fun)
# All arguments are supplied by named arguments in ..., but mix them up.
# Note that the named arguments override the items in .dat
matsindf_apply(list(a = 1, b = 2, z = 10), FUN = example_fun, a = "z", b = "b")
# Warning is issued when an output item has same name as an input item.
matsindf_apply(list(a = 1, b = 2, c = 10), FUN = example_fun, a = "c", b = "b")

```

matsindf_apply_types *Determine types of ... argument for matsindf_apply*

Description

This is a convenience function that returns a logical list for the types of ... with components named dots_present, all_dots_num, all_dots_mats, all_dots_list, all_dots_vect`, and all_dots_char`.

Usage

```
matsindf_apply_types(...)
```

Arguments

... the list of arguments to be checked

Details

When arguments are present in ..., dots_present is TRUE but FALSE otherwise. When all items in ... are single numbers, all_dots_num is TRUE and all other list members are FALSE. When all items in ... are matrices, all_dots_mats is TRUE and all other list members are FALSE. When all items in ... are lists, all_dots_list is TRUE and all other list members are FALSE. When all items in ... are vectors (including lists), all_dots_vect is TRUE. When all items in ... are character strings, all_dots_char is TRUE and all other list members are FALSE.

Value

A logical list with components named dots_present, all_dot_num, all_dots_mats, all_dots_list, and all_dots_char.

Examples

```

matsindf_apply_types(a = 1, b = 2)
matsindf_apply_types(a = matrix(c(1, 2)), b = matrix(c(2, 3)))
matsindf_apply_types(a = c(1, 2), b = c(3, 4), c = c(5, 6))
matsindf_apply_types(a = list(1, 2), b = list(3, 4), c = list(5, 6))
matsindf_apply_types(a = "a", b = "b", c = "c")

```

mat_to_rowcolval	<i>Convert a matrix to a data frame with rows, columns, and values.</i>
------------------	---

Description

This function "expands" a matrix into a tidy data frame with a values column and factors for row names, column names, row types, and column types. Optionally, values can be dropped.

Usage

```

mat_to_rowcolval(
  .matrix,
  matvals = "matvals",
  rownames = "rownames",
  colnames = "colnames",
  rowtypes = "rowtypes",
  coltypes = "coltypes",
  drop = NA
)

```

Arguments

.matrix	the IO-style matrix to be converted to a data frame with rows, columns, and values
matvals	a string for the name of the output column containing values. Default is "matvals".
rownames	a string for the name of the output column containing row names. Default is "rownames".
colnames	a string for the name of the output column containing column names. Default is "colnames".
rowtypes	a string for the name of the output column containing row types. Default is "rowtypes".
coltypes	a string for the name of the output column containing column types. Default is "coltypes".
drop	if specified, the value to be dropped from output. Default is NA. For example, drop = 0 will cause 0 entries in the matrices to be deleted from output. If NA, no values are dropped from output.

Value

a data frame with rows, columns, and values

Examples

```
library(matsbyname)
data <- data.frame(Country = c("GH", "GH", "GH"),
                  rows = c("c1", "c1", "c2"),
                  cols = c("i1", "i2", "i2"),
                  rt = c("Commodities", "Commodities", "Commodities"),
                  ct = c("Industries", "Industries", "Industries"),
                  vals = c( 11 , 12, 22 ))

data
A <- data %>%
  rowcolval_to_mat(rownames = "rows", colnames = "cols",
                  rowtypes = "rt", coltypes = "ct", matvals = "vals")

A
mat_to_rowcolval(A, rownames = "rows", colnames = "cols",
                rowtypes = "rt", coltypes = "ct", matvals = "vals")
mat_to_rowcolval(A, rownames = "rows", colnames = "cols",
                rowtypes = "rt", coltypes = "ct", matvals = "vals", drop = 0)
# This also works for single values
mat_to_rowcolval(2, matvals = "vals",
                rownames = "rows", colnames = "cols",
                rowtypes = "rt", coltypes = "ct")
mat_to_rowcolval(0, matvals = "vals",
                rownames = "rows", colnames = "cols",
                rowtypes = "rt", coltypes = "ct", drop = 0)
```

rowcolval_to_mat

Collapse a tidy data frame into a matrix with named rows and columns

Description

Columns not specified in one of rownames, colnames, rowtype, coltype, or values are silently dropped. rowtypes and coltypes are added as attributes to the resulting matrix (via [setrowtype](#) and [setcoltype](#)). The resulting matrix is a (under the hood) a data frame. If both rownames and colnames columns of .DF contain NA, it is assumed that this is a single value, not a matrix, in which case the value in the values column is returned.

Usage

```
rowcolval_to_mat(
  .DF,
  matvals = "matvals",
  rownames = "rownames",
  colnames = "colnames",
  rowtypes = "rowtypes",
  coltypes = "coltypes",
```

```
    fill = 0
  )
```

Arguments

<code>.DF</code>	a tidy data frame containing columns for row names, column names, and values
<code>matvals</code>	the name of the column in <code>.DF</code> containing values with which to fill the matrix (a string). Default is "matvals".
<code>rownames</code>	the name of the column in <code>.DF</code> containing row names (a string). Default is "rownames".
<code>colnames</code>	the name of the column in <code>.DF</code> containing column names (a string). Default is "colnames".
<code>rowtypes</code>	an optional string identifying the types of information found in rows of the matrix to be constructed. Default is "rowtypes".
<code>coltypes</code>	an optional string identifying the types of information found in columns of the matrix to be constructed. Default is "coltypes".
<code>fill</code>	the value for missing entries in the resulting matrix. default is 0.

Value

a matrix with named rows and columns and, optionally, row and column types

Examples

```
library(matsbyname)
library(dplyr)
data <- data.frame(Country = c("GH", "GH", "GH"),
                  rows = c("c 1", "c 1", "c 2"),
                  cols = c("i 1", "i 2", "i 2"),
                  vals = c( 11 , 12, 22 ))
A <- rowcolval_to_mat(data, rownames = "rows", colnames = "cols", matvals = "vals")
A
rowtype(A) # NULL, because types not set
coltype(A) # NULL, because types not set
B <- rowcolval_to_mat(data, rownames = "rows", colnames = "cols", matvals = "vals",
                    rowtypes = "Commodities", coltypes = "Industries")
B
C <- data %>% bind_cols(data.frame(rt = c("Commodities", "Commodities", "Commodities"),
                                ct = c("Industries", "Industries", "Industries"))) %>%
  rowcolval_to_mat(rownames = "rows", colnames = "cols", matvals = "vals",
                  rowtypes = "rt", coltypes = "ct")
C
# Also works for single values if both the rownames and colnames columns contain NA
data2 <- data.frame(Country = c("GH"), rows = c(NA), cols = c(NA),
                  rowtypes = c(NA), coltypes = c(NA), vals = c(2))
data2 %>% rowcolval_to_mat(rownames = "rows", colnames = "cols", matvals = "vals",
                        rowtypes = "rowtypes", coltypes = "coltypes")
data3 <- data.frame(Country = c("GH"), rows = c(NA), cols = c(NA), vals = c(2))
data3 %>% rowcolval_to_mat(rownames = "rows", colnames = "cols", matvals = "vals")
```



```
# Fails when rowtypes or coltypes not all same. In data3, column rt is not all same.
data4 <- data %>% bind_cols(data.frame(rt = c("Commodities", "Industries", "Commodities"),
                                     ct = c("Industries", "Industries", "Industries")))
## Not run: rowcolval_to_mat(data4, rownames = "rows", colnames = "cols",
                             matvals = "vals", rowtypes = "rt", coltypes = "ct")
## End(Not run)
```

UKEnergy2000

Energy consumption in the UK in 2000

Description

A dataset containing approximations to some of the energy flows in the UK in the year 2000. These data first appeared as the example in Figures 3 and 4 of M.K. Heun, A. Owen, and P.E. Brockway. A physical supply-use table framework for energy analysis on the energy conversion chain. Sustainability Research Institute Paper 111, University of Leeds, School of Earth and Environment, Sustainability Research Institute, Leeds, England, 13 November 2017.

Usage

UKEnergy2000

Format

A data frame with 36 rows and 7 variables:

Country country, GB (Great Britain, only one country)

Year year, 2000 (only one year)

Ledger.side Supply or Consumption

Flow.aggregation.point tells where each row should be aggregated

Flow the Industry or Sector involved in this flow

Product the energy product involved in this flow

E.ktoe magnitude of the energy flow in ktoe

Source

<http://www.see.leeds.ac.uk/fileadmin/Documents/research/sri/workingpapers/sri-wp111.pdf>

verify_cols_missing *Verify that column names in a data frame are not already present*

Description

In the Recca package, many functions add columns to an existing data frame. If the incoming data frame already contains columns with the names of new columns to be added, a name collision could occur, deleting the existing column of data. This function provides a way to quickly check whether newcols are already present in .DF.

Usage

```
verify_cols_missing(.DF, newcols)
```

Arguments

.DF	the data frame to which newcols are to be added
newcols	a single string, a single name, a vector of strings representing the names of new columns to be added to .DF, or a vector of names of new columns to be added to .DF

Details

This function terminates execution if a column of .DF will be overwritten by one of the newcols.

Value

NULL. This function should be called for its side effect of checking the validity of the names of newcols to be added to .DF.

Examples

```
df <- data.frame(a = c(1,2), b = c(3,4))
verify_cols_missing(df, "d") # Silent. There will be no problem adding column "d".
newcols <- c("c", "d", "a", "b")
## Not run: verify_cols_missing(df, newcols) # Error: a and b are already in df.
```

Index

* datasets

- UKEnergy2000, [17](#)

- add_UKEnergy2000_matnames, [2](#)
- add_UKEnergy2000_row_col_meta, [3](#)

- collapse_to_matrices, [5](#), [5](#)
- coltype, [5](#)

- everything_except, [7](#)
- expand_to_tidy, [7](#)

- group_by, [5](#)
- group_by_everything_except, [9](#)

- index_column, [10](#)

- mat_to_rowcolval, [14](#)
- matsindf_apply, [11](#)
- matsindf_apply_types, [13](#)

- nest, [5](#), [6](#)

- rowcolval_to_mat, [15](#)
- rowtype, [5](#)

- setcoltype, [15](#)
- setrowtype, [15](#)
- spread, [5](#)
- summarise, [5](#), [6](#)

- UKEnergy2000, [17](#)

- verify_cols_missing, [18](#)