

Package ‘uiucthemes’

July 25, 2020

Type Package

Title 'R' 'Markdown' Themes for 'UIUC' Documents and Presentations

Version 0.3.1

Description A set of custom 'R' 'Markdown' templates for documents and presentations with the University of Illinois at Urbana-Champaign (UIUC) color scheme and identity standards.

URL <https://github.com/illinois-r/uiucthemes>,
<http://thecoatlessprofessor.com/projects/uiucthemes/>

BugReports <https://github.com/illinois-r/uiucthemes/issues>

Depends R (>= 3.0)

License MIT + file LICENSE

Imports rmarkdown (>= 2.2), xaringan (>= 0.16.0)

RoxygenNote 7.1.0

Encoding UTF-8

Suggests knitr

VignetteBuilder knitr

NeedsCompilation no

Author James Balamuta [aut, cre] (<<https://orcid.org/0000-0003-2826-8458>>),
Steven Andrew Culpepper [ctb] (Provided the Minimal Orange Beamer Theme),
David Dalpiaz [ctb] (Collaborated on the LaTeX Journal Theme),
Jose Luis Rodriguez [ctb] (Provided the Market Information Lab (MIL) Beamer Theme)

Maintainer James Balamuta <balamut2@illinois.edu>

Repository CRAN

Date/Publication 2020-07-25 04:40:02 UTC

R topics documented:

uiuthemes-package	2
beamer_illinois	3
beamer_imetropolis	5
beamer_mil	7
beamer_orange	9
html_imetropolis	11
latex_journal_format	12
uiuthemes-defunct	13

Index	14
--------------	-----------

uiuthemes-package	<i>uiuthemes: 'R' 'Markdown' Themes for 'UIUC' Documents and Presentations</i>
-------------------	--

Description

A set of custom 'R' 'Markdown' templates for documents and presentations with the University of Illinois at Urbana-Champaign (UIUC) color scheme and identity standards.

Details

Trial run on RMarkdown templates

Author(s)

Maintainer: James Balamuta <balamut2@illinois.edu> ([ORCID](#))

Other contributors:

- Steven Andrew Culpepper <sculpepp@illinois.edu> (Provided the Minimal Orange Beamer Theme) [contributor]
- David Dalpiaz <dalpiaz2@illinois.edu> (Collaborated on the LaTeX Journal Theme) [contributor]
- Jose Luis Rodriguez <jlroo@illinois.edu> (Provided the Market Information Lab (MIL) Beamer Theme) [contributor]

See Also

Useful links:

- <https://github.com/illinois-r/uiuthemes>
- <http://thecoatlessprofessor.com/projects/uiuthemes/>
- Report bugs at <https://github.com/illinois-r/uiuthemes/issues>

beamer_illinois	<i>"Illinois" (UIUC) Themed Beamer Presentation Template for RMarkdown</i>
-----------------	--

Description

Generates from an RMarkdown file a Beamer presentation with "Illinois" (UIUC) colors and identity standards.

Usage

```
beamer_illinois(
  toc = FALSE,
  slide_level = 2,
  incremental = FALSE,
  fig_width = 10,
  fig_height = 7,
  fig_crop = TRUE,
  fig_caption = TRUE,
  dev = "pdf",
  df_print = "default",
  fonttheme = "default",
  highlight = "default",
  keep_tex = FALSE,
  latex_engine = "pdflatex",
  citation_package = c("default", "natbib", "biblatex"),
  includes = NULL,
  md_extensions = NULL,
  pandoc_args = NULL
)
```

Arguments

toc	TRUE to include a table of contents in the output (only level 1 headers will be included in the table of contents).
slide_level	The heading level which defines individual slides. By default this is the highest header level in the hierarchy that is followed immediately by content, and not another header, somewhere in the document. This default can be overridden by specifying an explicit slide_level.
incremental	TRUE to render slide bullets incrementally. Note that if you want to reverse the default incremental behavior for an individual bullet you can precede it with >. For example: > - Bullet Text
fig_width	Default width (in inches) for figures
fig_height	Default height (in inches) for figures
fig_crop	TRUE to automatically apply the pdfcrop utility (if available) to pdf figures

fig_caption	TRUE to render figures with captions
dev	Graphics device to use for figure output (defaults to pdf)
df_print	Method to be used for printing data frames. Valid values include "default", "kable", "tibble", and "paged". The "default" method uses a corresponding S3 method of print, typically <code>print.data.frame</code> . The "kable" method uses the <code>knitr::kable</code> function. The "tibble" method uses the <code>tibble</code> package to print a summary of the data frame. The "paged" method creates a paginated HTML table (note that this method is only valid for formats that produce HTML). In addition to the named methods you can also pass an arbitrary function to be used for printing data frames. You can disable the <code>df_print</code> behavior entirely by setting the option <code>rmarkdown.df_print</code> to FALSE.
fonttheme	Beamer font theme (e.g. "structurebold").
highlight	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", and "haddock". Pass NULL to prevent syntax highlighting.
keep_tex	Keep the intermediate tex file used in the conversion to PDF
latex_engine	LaTeX engine for producing PDF output. Options are "pdflatex", "lualatex", and "xelatex".
citation_package	The LaTeX package to process citations, <code>natbib</code> or <code>biblatex</code> . Use default if neither package is to be used, which means citations will be processed via the command <code>pandoc-citeproc</code> .
includes	Named list of additional content to include within the document (typically created using the <code>includes</code> function).
md_extensions	Markdown extensions to be added or removed from the default definition or R Markdown. See the <code>rmarkdown_format</code> for additional details.
pandoc_args	Additional command line options to pass to pandoc

Value

A modified `beamer_presentation` based on the "Illinois" (UIUC) Beamer themed template.

Author(s)

James Joseph Balamuta (Theme Hooks and Beamer Template Modifications) See `AUTHORS` for more specific details behind each of the contributions.

Examples

```
## Not run:
# Generate slide deck from beamer template
rmarkdown::draft("slide_deck.Rmd", template = "beamer_illinois", package = "uiucthemes")

# Compile the document
rmarkdown::render("slide_deck/slide_deck.Rmd")

## End(Not run)
```

Description

Generates from an RMarkdown file a Beamer presentation with "Illinois" (UIUC) colors and identity standards based on the Metropolis theme.

Usage

```
beamer_imetropolis(
  toc = FALSE,
  slide_level = 3,
  incremental = FALSE,
  fig_width = 10,
  fig_height = 7,
  fig_crop = TRUE,
  fig_caption = TRUE,
  dev = "pdf",
  df_print = "default",
  fonttheme = "default",
  highlight = "default",
  keep_tex = FALSE,
  latex_engine = "pdflatex",
  citation_package = c("default", "natbib", "biblatex"),
  includes = NULL,
  md_extensions = NULL,
  pandoc_args = NULL
)
```

Arguments

toc	TRUE to include a table of contents in the output (only level 1 headers will be included in the table of contents).
slide_level	The heading level which defines individual slides. By default this is the highest header level in the hierarchy that is followed immediately by content, and not another header, somewhere in the document. This default can be overridden by specifying an explicit <code>slide_level</code> .
incremental	TRUE to render slide bullets incrementally. Note that if you want to reverse the default incremental behavior for an individual bullet you can precede it with <code>></code> . For example: <code>> - Bullet Text</code>
fig_width	Default width (in inches) for figures
fig_height	Default height (in inches) for figures
fig_crop	TRUE to automatically apply the <code>pdfcrop</code> utility (if available) to pdf figures
fig_caption	TRUE to render figures with captions

dev	Graphics device to use for figure output (defaults to pdf)
df_print	Method to be used for printing data frames. Valid values include "default", "kable", "tibble", and "paged". The "default" method uses a corresponding S3 method of print, typically print.data.frame. The "kable" method uses the <code>knitr::kable</code> function. The "tibble" method uses the tibble package to print a summary of the data frame. The "paged" method creates a paginated HTML table (note that this method is only valid for formats that produce HTML). In addition to the named methods you can also pass an arbitrary function to be used for printing data frames. You can disable the df_print behavior entirely by setting the option <code>rmarkdown.df_print</code> to FALSE.
fonttheme	Beamer font theme (e.g. "structurebold").
highlight	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", and "haddock". Pass NULL to prevent syntax highlighting.
keep_tex	Keep the intermediate tex file used in the conversion to PDF
latex_engine	LaTeX engine for producing PDF output. Options are "pdflatex", "lualatex", and "xelatex".
citation_package	The LaTeX package to process citations, natbib or biblatex. Use default if neither package is to be used, which means citations will be processed via the command <code>pandoc-citeproc</code> .
includes	Named list of additional content to include within the document (typically created using the <code>includes</code> function).
md_extensions	Markdown extensions to be added or removed from the default definition or R Markdown. See the <code>rmarkdown_format</code> for additional details.
pandoc_args	Additional command line options to pass to pandoc

Value

A modified beamer_presentation based on the "Illinois" (UIUC) Beamer themed template.

Author(s)

James Joseph Balamuta (Theme Hooks) See AUTHORS for more specific details behind each of the contributions.

Examples

```
## Not run:
# Generate slide deck from beamer template
rmarkdown::draft("slide_deck.Rmd", template = "beamer_imetropolis", package = "uiucthemes")

# Compile the document
rmarkdown::render("slide_deck/slide_deck.Rmd")

## End(Not run)
```

beamer_mil	<i>Beamer Illinois Market Information Lab Presentation Template for RMarkdown</i>
------------	---

Description

Generates from an RMarkdown file a Beamer presentation with "marketlab" (UIUC) colors and identity standards with a focus on "Orange" and "White".

Usage

```
beamer_mil(
  toc = FALSE,
  slide_level = 3,
  incremental = FALSE,
  fig_width = 10,
  fig_height = 7,
  fig_crop = TRUE,
  fig_caption = TRUE,
  dev = "pdf",
  df_print = "default",
  fonttheme = "default",
  highlight = "default",
  keep_tex = FALSE,
  latex_engine = "pdflatex",
  citation_package = c("default", "natbib", "biblatex"),
  includes = NULL,
  md_extensions = NULL,
  pandoc_args = NULL
)
```

Arguments

toc	TRUE to include a table of contents in the output (only level 1 headers will be included in the table of contents).
slide_level	The heading level which defines individual slides. By default this is the highest header level in the hierarchy that is followed immediately by content, and not another header, somewhere in the document. This default can be overridden by specifying an explicit slide_level.
incremental	TRUE to render slide bullets incrementally. Note that if you want to reverse the default incremental behavior for an individual bullet you can precede it with >. For example: > - Bullet Text
fig_width	Default width (in inches) for figures
fig_height	Default height (in inches) for figures
fig_crop	TRUE to automatically apply the pdfcrop utility (if available) to pdf figures

fig_caption	TRUE to render figures with captions
dev	Graphics device to use for figure output (defaults to pdf)
df_print	Method to be used for printing data frames. Valid values include "default", "kable", "tibble", and "paged". The "default" method uses a corresponding S3 method of print, typically print.data.frame. The "kable" method uses the <code>knitr::kable</code> function. The "tibble" method uses the tibble package to print a summary of the data frame. The "paged" method creates a paginated HTML table (note that this method is only valid for formats that produce HTML). In addition to the named methods you can also pass an arbitrary function to be used for printing data frames. You can disable the df_print behavior entirely by setting the option rmarkdown.df_print to FALSE.
fonttheme	Beamer font theme (e.g. "structurebold").
highlight	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", and "haddock". Pass NULL to prevent syntax highlighting.
keep_tex	Keep the intermediate tex file used in the conversion to PDF
latex_engine	LaTeX engine for producing PDF output. Options are "pdflatex", "lualatex", and "xelatex".
citation_package	The LaTeX package to process citations, natbib or biblatex. Use default if neither package is to be used, which means citations will be processed via the command pandoc-citeproc.
includes	Named list of additional content to include within the document (typically created using the <code>includes</code> function).
md_extensions	Markdown extensions to be added or removed from the default definition or R Markdown. See the <code>rmarkdown_format</code> for additional details.
pandoc_args	Additional command line options to pass to pandoc

Value

A modified beamer_presentation based on the "marketlab" (UIUC) Beamer themed template.

Author(s)

Jose Luis Rodriguez (Beamer Marketlab Theme) James Joseph Balamuta (Theme Hooks) See AUTHORS for more specific details behind each of the contributions.

Examples

```
## Not run:
# Generate slide deck from beamer template
rmarkdown::draft("slide_deck.Rmd", template = "beamer_mil", package = "uiucthemes")

# Compile the document
rmarkdown::render("slide_deck/slide_deck.Rmd")

## End(Not run)
```

Description

Generates from an RMarkdown file a Beamer presentation with "Illinois" (UIUC) colors and identity standards with a focus on "Orange" and "White".

Usage

```
beamer_orange(
  toc = FALSE,
  slide_level = 3,
  incremental = FALSE,
  fig_width = 10,
  fig_height = 7,
  fig_crop = TRUE,
  fig_caption = TRUE,
  dev = "pdf",
  df_print = "default",
  fonttheme = "default",
  highlight = "default",
  keep_tex = FALSE,
  latex_engine = "pdflatex",
  citation_package = c("default", "natbib", "biblatex"),
  includes = NULL,
  md_extensions = NULL,
  pandoc_args = NULL
)
```

Arguments

toc	TRUE to include a table of contents in the output (only level 1 headers will be included in the table of contents).
slide_level	The heading level which defines individual slides. By default this is the highest header level in the hierarchy that is followed immediately by content, and not another header, somewhere in the document. This default can be overridden by specifying an explicit slide_level.
incremental	TRUE to render slide bullets incrementally. Note that if you want to reverse the default incremental behavior for an individual bullet you can precede it with >. For example: > - Bullet Text
fig_width	Default width (in inches) for figures
fig_height	Default height (in inches) for figures
fig_crop	TRUE to automatically apply the pdfcrop utility (if available) to pdf figures
fig_caption	TRUE to render figures with captions

dev	Graphics device to use for figure output (defaults to pdf)
df_print	Method to be used for printing data frames. Valid values include "default", "kable", "tibble", and "paged". The "default" method uses a corresponding S3 method of print, typically print.data.frame. The "kable" method uses the <code>knitr::kable</code> function. The "tibble" method uses the tibble package to print a summary of the data frame. The "paged" method creates a paginated HTML table (note that this method is only valid for formats that produce HTML). In addition to the named methods you can also pass an arbitrary function to be used for printing data frames. You can disable the df_print behavior entirely by setting the option <code>rmarkdown.df_print</code> to FALSE.
fonttheme	Beamer font theme (e.g. "structurebold").
highlight	Syntax highlighting style. Supported styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", and "haddock". Pass NULL to prevent syntax highlighting.
keep_tex	Keep the intermediate tex file used in the conversion to PDF
latex_engine	LaTeX engine for producing PDF output. Options are "pdflatex", "lualatex", and "xelatex".
citation_package	The LaTeX package to process citations, natbib or biblatex. Use default if neither package is to be used, which means citations will be processed via the command <code>pandoc-citeproc</code> .
includes	Named list of additional content to include within the document (typically created using the <code>includes</code> function).
md_extensions	Markdown extensions to be added or removed from the default definition or R Markdown. See the <code>rmarkdown_format</code> for additional details.
pandoc_args	Additional command line options to pass to pandoc

Value

A modified beamer_presentation based on the "Illinois" (UIUC) Beamer themed template.

Author(s)

Prof. Steven A Culpepper (Beamer Orange Theme) James Joseph Balamuta (Theme Hooks) See AUTHORS for more specific details behind each of the contributions.

Examples

```
## Not run:
# Generate slide deck from beamer template
rmarkdown::draft("slide_deck.Rmd", template = "beamer_orange", package = "uiucthemes")

# Compile the document
rmarkdown::render("slide_deck/slide_deck.Rmd")

## End(Not run)
```

html_imetropolis	<i>"Illinois" (UIUC) Metropolis themed HTML Template for RMarkdown</i>
------------------	--

Description

Generates from an RMarkdown file an HTML presentation with "Illinois" (UIUC) colors and identity standards based on the Metropolis theme.

Usage

```
html_imetropolis(
  self_contained = FALSE,
  seal = TRUE,
  chakra = "https://remarkjs.com/downloads/remark-latest.min.js",
  nature = list(),
  ...
)
```

Arguments

self_contained	Whether to produce a self-contained HTML file.
seal	Whether to generate a title slide automatically using the YAML metadata of the R Markdown document (if FALSE, you should write the title slide by yourself).
chakra	A path to the remark.js library (can be either local or remote). Please note that if you use the default remote latest version of remark.js, your slides will not work when you do not have Internet access. They might also be broken after a newer version of remark.js is released. If these issues concern you, you should download remark.js locally (e.g., via <code>summon_remark()</code>), and use the local version instead.
nature	(Nature transformation) A list of configurations to be passed to <code>remark.create()</code> , e.g. <code>list(ratio = '16:9', navigation = list(click = TRUE))</code> ; see https://github.com/gnab/remark/wiki/Configuration . Besides the options provided by remark.js, you can also set <code>autoplay</code> to a number (the number of milliseconds) so the slides will be played every <code>autoplay</code> milliseconds. You can also set <code>countdown</code> to a number (the number of milliseconds) to include a countdown timer on each slide. If using <code>autoplay</code> , you can optionally set <code>countdown</code> to TRUE to include a countdown equal to <code>autoplay</code> . To alter the set of classes applied to the title slide, you can optionally set <code>titleSlideClass</code> to a vector of classes; the default is <code>c("center", "middle", "inverse")</code> .
...	For <code>tsukuyomi()</code> , arguments passed to <code>moon_reader()</code> ; for <code>moon_reader()</code> , arguments passed to <code>rmarkdown::html_document()</code> .

Value

A modified `xaringan::moon_reader()` based on the "Illinois" (UIUC) Metropolis themed HTML template.

Author(s)

James Joseph Balamuta (Light Modifications of Metropolis and R function wrapper) See AUTHORS for more specific details behind each of the contributions.

Examples

```
## Not run:
# Generate slide deck from beamer template
rmarkdown::draft("slide_deck.Rmd", template = "html_imetropolis", package = "uiucthemes")

# Compile the document
rmarkdown::render("slide_deck/slide_deck.Rmd")

## End(Not run)
```

latex_journal_format *UIUC Class Journal Format*

Description

Modified version of the Journal of Statistical Software (JSS) Format for creating a Journal of Statistical Software (JSS) articles. Adapted from <http://www.jstatsoft.org/about/submissions>.

Usage

```
latex_journal_format(..., keep_tex = TRUE, citation_package = "natbib")
```

Arguments

...	Arguments to <code>rmarkdown::pdf_document</code>
<code>keep_tex</code>	Keep the intermediate tex file used in the conversion to PDF
<code>citation_package</code>	The LaTeX package to process citations, <code>natbib</code> or <code>biblatex</code> . Use default if neither package is to be used, which means citations will be processed via the command <code>pandoc-citeproc</code> .

Details

This format is largely based off of the `rticles` of `jss_article`.

Value

R Markdown output format to pass to `render`

Author(s)

JSS Editorial Staff for the Journal format, RStudio for `jss_article`, James Balamuta for the theme hook, and David Dalpiaz for skeleton content

References

`rticles` package by JJ Allaire, R Foundation, Hadley Wickham, Journal of Statistical Software, Yihui Xie, Ramnath Vaidyanathan, Association for Computing Machinery, Carl Boettiger, Elsevier, Karl Broman, Kirill Mueller, Bastiaan Quast, Randall Pruim, Ben Marwick, Charlotte Wickham, Oliver Keyes and Miao Yu (2017). `rticles`: Article Formats for R Markdown. R package version 0.4.1. <https://CRAN.R-project.org/package=rticles>

Examples

```
## Not run:  
library(rmarkdown)  
draft("MyArticle.Rmd", template = "latex_journal_format", package = "uiucthemes")  
  
## End(Not run)
```

uiucthemes-defunct *Defunct functions in the uiucthemes package*

Description

These functions have been removed from the uiucthemes package.

Usage

```
uiuc_beamer(...)
```

Arguments

... All old parameters being passed into the function.

Details

`uiuc_beamer` has been removed in favor of [beamer_illinois](#)

Index

beamer_illinois, [3](#), [13](#)
beamer_imetropolis, [5](#)
beamer_mil, [7](#)
beamer_orange, [9](#)

html_document, [11](#)
html_imetropolis, [11](#)

includes, [4](#), [6](#), [8](#), [10](#)

knitr::kable, [4](#), [6](#), [8](#), [10](#)

latex_journal_format, [12](#)

render, [12](#)
rmarkdown_format, [4](#), [6](#), [8](#), [10](#)

summon_remark, [11](#)

uiuc_beamer (uiucthemes-defunct), [13](#)
uiucthemes (uiucthemes-package), [2](#)
uiucthemes-defunct, [13](#)
uiucthemes-package, [2](#)

xaringan::moon_reader(), [11](#)